

Amarr Carriage Court CC4000

Steel Overlay Garage Doors



Bradberry design with 3 Lite Arch windows
in Sandtone/White with Canterbury decorative hardware

www.amarr.com



Kensington design with Clear Square windows
in Almond/White with Blue Ridge decorative hardware



Newberry design with Closed Square
in Sandtone/White with Canterbury decorative handles



Tanglewood design with Closed Arch
in Wicker Tan/White with Versailles decorative hardware



Distinctly defined. The Amarr Carriage Court collection adds increased curb appeal to your home with 14 highly defined carriage house garage door designs. Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy efficiency, noise reduction and innovative design to your home.




Fairfield design with Closed Square in True White/White with Alpine decorative handles


LAURELBAY




CLOSED SQUARE (LB104)



CLOSED SQUARE (LB104)




CLOSED ARCH (LB105)




CLEAR SQUARE (LB115)



CLEAR ARCH (LB114)




3 LITE SQUARE (LB106)




3 LITE ARCH (LB110)




6 LITE SQUARE (LB112)



6 LITE ARCH (LB108)




4 LITE SQUARE (LB107)



4 LITE ARCH (LB111)



8 LITE SQUARE (LB113)




8 LITE ARCH (LB109)


PINETOP



CLOSED SQUARE (PT104)




CLOSED SQUARE (PT104)




CLOSED ARCH (PT105)




CLEAR SQUARE (PT115)



CLEAR ARCH (PT114)



3 LITE SQUARE (PT106)




3 LITE ARCH (PT110)




6 LITE SQUARE (PT112)




6 LITE ARCH (PT108)



4 LITE SQUARE (PT107)



4 LITE ARCH (PT111)



8 LITE SQUARE (PT113)



8 LITE ARCH (PT109)

CONSTRUCTION



STEEL

Four-Layer: Overlay + Steel + Insulation + Steel

- 2" thick door with polystyrene insulation and steel interior
- Built with 1-3/8" steel section and 5/8" composite overlay trim

OVERLAY TRIM



- 5/8" thick composite overlay trim of reclaimed wood fiber and thermoplastic polymer
- Coped edge design
- Sustainable, green building material
- Resists rot, decay, and fungal growth
- Won't flake, blister, peel, pit or corrode

BRADBERRY



CLOSED SQUARE (BB104)




CLOSED SQUARE (BB104)

CLOSED ARCH (BB105)



CLEAR SQUARE (BB115)

CLEAR ARCH (BB114)




3 LITE SQUARE (BB106)

3 LITE ARCH (BB110)



6 LITE SQUARE (BB112)

6 LITE ARCH (BB108)



4 LITE SQUARE (BB107)


4 LITE ARCH (BB111)



8 LITE SQUARE (BB113)

8 LITE ARCH (BB109)

KENSINGTON



CLOSED SQUARE (KT104)




CLOSED SQUARE (KT104)

CLOSED ARCH (KT105)



CLEAR SQUARE (KT115)

CLEAR ARCH (KT114)




3 LITE SQUARE (KT106)

3 LITE ARCH (KT110)




6 LITE SQUARE (KT112)

6 LITE ARCH (KT108)



4 LITE SQUARE (KT107)

4 LITE ARCH (KT111)



8 LITE SQUARE (KT113)

8 LITE ARCH (KT109)

SEABROOK




CLOSED SQUARE (SB104)




CLOSED SQUARE (SB104)

CLOSED ARCH (SB105)



CLEAR SQUARE (SB115)

CLEAR ARCH (SB114)




3 LITE SQUARE (SB106)

3 LITE ARCH (SB110)



6 LITE SQUARE (SB112)

6 LITE ARCH (SB108)



4 LITE SQUARE (SB107)

4 LITE ARCH (SB111)



8 LITE SQUARE (SB113)

8 LITE ARCH (SB109)

ROSEMONT



CLOSED SQUARE (RM104)



CLOSED SQUARE (RM104)

CLOSED ARCH (RM105)



CLEAR SQUARE (RM115)

CLEAR ARCH (RM114)



3 LITE SQUARE (RM106)

3 LITE ARCH (RM110)



6 LITE SQUARE (RM112)

6 LITE ARCH (RM108)



4 LITE SQUARE (RM107)

4 LITE ARCH (RM111)



8 LITE SQUARE (RM113)

8 LITE ARCH (RM109)

WINDOWS



- Large rectangular or arched window designs in 24" top sections
- 5/8" thick decorative window grilles with coped edges
- Available in double-strength, obscure or insulated glass

COLORS



TRUE WHITE / WHITE (W1)

ALMOND / WHITE (A1)

WICKER TAN / WHITE (K1)

SANTONE / WHITE (S1)

Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings.

ASHLEY



CLOSED SQUARE (AL104)




CLOSED SQUARE (AL104) CLOSED ARCH (AL105)

CHARLTON




CLOSED SQUARE (CT104)




CLOSED SQUARE (CT104) CLOSED ARCH (CT105)

FAIRFIELD



CLOSED SQUARE (FF104)



CLOSED SQUARE (FF104) CLOSED ARCH (FF105)

MIDDLETON



CLOSED SQUARE (MT104)



CLOSED SQUARE (MT104) CLOSED ARCH (MT105)

GREENBRIAR




CLOSED SQUARE (GB104)




CLOSED SQUARE (GB104) CLOSED ARCH (GB105)

DARBY




CLOSED SQUARE (DB104)



CLOSED SQUARE (DB104) CLOSED ARCH (DB105)

NEWBERRY



CLOSED SQUARE (NB104)



CLOSED SQUARE (NB104) CLOSED ARCH (NB105)

TANGLEWOOD



CLOSED SQUARE (TW104)



CLOSED SQUARE (TW104) CLOSED ARCH (TW105)

DECORATIVE HARDWARE

ALUMINUM

CANTERBURY



10 1/2" HANDLES

17" STRAP HINGES WITH CLAVOS

3 1/2" RING HANDLES

VERSAILLES



9" HANDLES

18" STRAP HINGES WITH CLAVOS

11" L-HINGE WITH CLAVOS

Aluminum decorative strap hinges with clavos not recommended for arch openings.

STAMPED STEEL

BLUE RIDGE



11" HANDLES

16" STRAP HINGES

ALPINE



11" HANDLES

CASTLE ROCK




12" HANDLES

16" STRAP HINGES

ABS VINYL

DOOR WIDTHS Not available in odd widths



8', 9' & 10' WIDE 12', 14' & 15' WIDE 15' 6", 15' 8", 16' & 18' WIDE

DOOR HEIGHTS Available in 6'6" - 10' heights in 3" increments



7' and 8' TALL 9' TALL 10' TALL

DOOR CONFIGURATIONS

DOOR HEIGHT	INCHES	# OF SECTIONS	DESIGNS AVAILABLE WITH WINDOWS					DESIGNS NOT AVAILABLE WITH WINDOWS				
			BRADBERRY, KENSINGTON, LAURELBAY, PINETOP, ROSEMONT [†] & SEABROOK					ASHLEY, CHARLTON, DARBY, FAIRFIELD, GREENBRIER, MIDDLETON, NEWBERRY & TANGLEWOOD [‡]				
			SECTION HEIGHTS (IN INCHES)					SECTION HEIGHTS (IN INCHES)				
			TOP SECTION	INTER SECTION	INTER SECTION	INTER SECTION	BOTTOM SECTION	TOP SECTION	INTER SECTION	INTER SECTION	INTER SECTION	BOTTOM SECTION
6'6"	78	4	24	18	18		18	18	18			24
6'9"	81	4	24	18	21		18	18	21	18		24
7'	84	4	24	18	24		18	18	24	18		24
7'3"	87	4	24	21	21		21	21	21	21		24
7'6"	90	4	24	24	18		24	24	18	24		24
7'9"	93	4	24	24	21		24	24	21	24		24
8'	96	4	24	24	24		24	24	24	24		24
8'3"	99	5	24	18	18	18	21	21	18	18	18	24
8'6"	102	5	24	18	21	21	18	21	18	21	18	24
8'9"	105	5	24	21	18	18	24	24	21	18	18	24
9"	108	5	24	24	18	18	24	24	24	18	18	24
9'3"	111	5	24	21	21	21	24	24	21	24	18	24
9'6"	114	5	24	24	21	21	24	24	24	24	18	24
9'9"	117	5	24	24	21	24	24	24	24	24	21	24
10"	120	5	24	24	24	24	24	24	24	24	24	24

^{*} Height not available in widths greater than 16'

[†] Not available in 8'3", 8'9", 9'3" and 9'9" door heights

[‡] Not available in 6'3" and 7'3" door heights

SPECIFICATIONS

PANEL DESIGNS	CARRIAGE COURT CC4000
Carriage House	14 Designs
INSULATION ¹	Polystyrene
R-VALUE ²	6.48
ENERGY EFFICIENCY	Superior
QUIET OPERATION	Extra Quiet
DOOR THICKNESS	2"
WINDOW GLASS OPTIONS	
DSB Glass	•
Obscure Glass	•
Insulated Glass	•
WIND LOAD ³ AVAILABLE	Spring 2015
PAINT FINISH WARRANTY ⁴	Lifetime
WORKMANSHIP / HARDWARE WARRANTY ⁴	5 Years
WINDOW / OVERLAY DISCOLORATION ⁴	10 Years
OVERLAY DELAMINATION ⁴	5 Years

¹ Insulation has passed self-ignition, flamespread and smoke developed index fire testing.

² Calculated door section R-value is in accordance with DASMA TDS-163.

³ It is your responsibility to make sure your garage door meets local building codes.

⁴ For complete warranty details, visit amarr.com or contact your local Amarr dealer.

PAINT FINISH
LIFETIME
LIMITED WARRANTY

WINDOW / OVERLAY DISCOLORATION
10-YEAR
LIMITED WARRANTY

WORKMANSHIP & HARDWARE
5-YEAR
LIMITED WARRANTY

R-VALUE
6.48

Your Local Amarr Dealer:

ENTRE/MATIC

Entrematic
165 Carriage Court
Winston-Salem, NC 27105
800.503.DOOR
www.amarr.com



Entrematic reserves the right to change specifications and designs without notice and without incurring obligations.

Sectional door products from Entrematic may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

Amarr as words and logos are registered trademarks belonging to Entrematic Group AB or other companies controlled by the same organization. All rights reserved.

©Entrematic Group AB 2014. All rights reserved.
Printed in USA Form #6460215/30M/GVSwW